PHILLIPS MANUFACTURING CO.
Engineered to Perform

Submittal Form

Diamond Mesh Lath

Product Benefits

Phillips Diamond Mesh Lath is used as a plaster base and reinforcement on almost all types of walls and ceilings, over wood or steel framing, flat or curved surfaces. Phillips Self-Furring Diamond Mesh is used extensively in stucco work as plaster reinforcement over interior masonry walls as well as in steel column fireproofing. Both regular and self-furring Diamond Mesh Lath are widely used as a reinforcement for base coat in ceramic tile work. This versatile product features many benefits:

- Fabricated from hot-dipped galvanized steel
- Available in both regular and self-furring
- Used in many applications

Certification

Phillips Diamond Mesh Lath meets or exceeds ASTM A 653 Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process

Storage

Avoid damage and store in a dry place protected from moisture.

Installation Recommendations

Phillips recommends installation in accordance with applicable ASTM standards and using prevalent industry standards. Reference materials include ASTM C 841, Gypsum Association GA-600 and Phillips Manufacturing's website (www.phillipsmfg.com).

Submittal Approvals:

Job Name: _____

Contractor: _____ **Date:** _____